


AI painting with stable diffusion



The OAsis cluster is equipped with 80GB A100 GPUs that can be leveraged to create artwork using a generative AI model called Stable Diffusion. This model supports text-to-image generation, image-to-image generation, and image inpainting.



“ If you're interested in learning all the technical details, you can refer to [the original paper available here](#).

The popularity of this model is on the rise, and the community is growing at an exponential rate due to its ability to produce stunning output with minimal computing power. End-users can train additional networks or embeddings to significantly influence the output. Additionally, there's a platform called Civitai that allows users to share their models.

“ For this exercise, we'll be using [the DreamShaper model](#), which is 5.6 GB in size. To make it easier for you, we've already placed it in **/pfss/toolkit/stable-diffusion**. You can use it directly without downloading.

To get started, let's prepare the Conda environment first.

```
# we'll use the scratch file system here since model files are large
cd $SCRATCH

# check out the webui from git
git clone https://github.com/AUTOMATIC1111/stable-diffusion-webui.git

# create a symbolic link to load the DreamShaper model
# since DreamShaper is a base model, place it to the models/Stable-diffusion folder
ln -s /pfss/toolkit/stable-diffusion/dreamshaper4bakedvae.WZEK.safetensors \
    stable-diffusion-webui/models/Stable-diffusion/

# create the conda environment
cd stable-diffusion-webui
module load Anaconda3/2022.05
```

```
# configure conda to use the user SCRATCH folder to store envs
echo "
pkgs_dirs:
  - $SCRATCH/.conda/pkgs
envs_dirs:
  - $SCRATCH/.conda/envs
channel_priority: flexible
" > ~/.condarc

conda create --name StableDiffusionWebui python=3.10.6
```

Then we will create a quick job script for launching it in the portal. Create a file called "**start-sdwebui.sbatch**" in your home folder and fill it with the following content. Once done, request a GPU node to launch the web UI.

```
#!/bin/bash -le

%node%

#SBATCH --time=0-03:00:00
#SBATCH --output=sdwebui.out

<<setup
desc: Start a stable diffusion web ui
inputs:
  - code: node
    display: Node
    type: node
    required: true
    placeholder: Please select a node
  default:
    part: gpu
    cpu: 16
    mem: 256
    gpu: a100
setup

module load Anaconda3/2022.05 CUDA GCCcore git
source activate StableDiffusionWebui
cd $SCRATCH/stable-diffusion-webui
```

```

host=$(hostname)
port=$(hc acquire-port -j $SLURM_JOB_ID -u web --host $host -l WebUI)

export PIP_CACHE_DIR=$SCRATCH/.cache/pip
mkdir -p $PIP_CACHE_DIR

./webui.sh --listen --port $port

```

Once you log in to the web portal, open the file browser and select the `.sbatch` file you created. Pick a node with GPU and launch it.

The screenshot shows the OASIS web portal interface. On the left, there's a sidebar with search filters and a file list. The main area displays a table of files. A modal dialog titled 'Enqueue job' is open, showing details for a job and a button to enqueue it.

File Browser Table:

Name	Size	Time
Music		2023.03.05 21:07
Documents		2023.03.05 21:07
Downloads		2022.12.19 23:36
Pictures		2023.03.05 21:07
GNV_EQMC_GFD		2023.02.10 16:53
plots		2022.12.21 14:24
go		2023.03.17 18:28
tmux		
sac.sbatch		
cudaMPI.sbatch		
start-sdwebui.sbatch		
vnc.out		
hc.temp.sbatch		
sdwebui.out		
nv.HPL.dat		
loki.pem		
stable-diffusion.sbatch		
hpl.sh		
jupyter.out		
sac.py		
stable-diffusion.out	26 KB	2023.03.10 13:02
simpleMPI	28 KB	2022.11.10 12:09
sac.ipynb	47 KB	2022.12.21 15:43
testplot.ipynb	111 KB	2022.11.12 12:17
cudaOpenMP	790 KB	2022.11.09 18:41

Enqueue job Dialog:

Path: /pfss/home/loki/start-sdwebui.sbatch

Start a stable diffusion web ui

Node*

Partition: gpu
Node: oak1bhpcgpu001
CPU: 8 cores
Memory: 16 GB
GPU: a100 x 1


Select another

Enqueue now

Download this file
Toggle file content


Please note that the installation of all Python libraries and dependencies may take some time on the first run. You can monitor the progress in the **\$HOME/sdwebui.out** file.

When the Web UI is launched, you may access it at the running jobs window.




Once the web UI is launched, you'll have access to numerous options to explore. It may seem overwhelming at first, but a simpler way to get started is to find an artwork shared on Civitai and use it as a starting point. For example, we chose [this one](#).

You can replicate the prompts, sampler, and step settings to generate your own artwork. If you replicate the seed, you can reproduce the same image.



In our case, we decided to generate five pieces at a time. Once we found a good one, we upscaled it to a larger image with more details.



And voila! This is how we created the cover image for this article.

In conclusion, this is just the beginning of a rapidly developing field. There's so much more to explore, from trying different models shared by others to training the model to understand new concepts or styles.

Revision #15

Created 21 March 2023 14:08:21 by Loki Ng

Updated 18 March 2024 08:56:49 by Loki Ng